






Lorry	Specification			
 <p>52P-0563</p>	External	Width	1700mm	8 ft
		Height	1600mm	8 ft 6.0 in
		length	2660mm	20 ft
	Interior	Width	1520mm	7 ft 8.6 in
		Height	1220mm	7 ft 10.3 in
		length	2660mm	19 ft 4.2 in
	Door	Width	1300mm	92.1 in
		Height	1100mm	89.7 in
	Cubic Capacity		5000cum	1,173 cu ft
	Tare weight		1.250 Kg	4,850 lbs
	Max. Payload		550 Kg	62,346 lbs
Max. Gross Weight		2400 Kg	67,196 lbs	


Lorry	Specification			
 <p>53S-5926</p>	External	Width	1595mm	8 ft
		Height	1650mm	8 ft 6.0 in
		length	3200mm(top) 4480mm(under)	20 ft
	Interior	Width	1910mm	7 ft 8.6 in
		Height	1930mm	7 ft 10.3 in
		length	4240mm	19 ft 4.2 in
	Door	Width	1910mm	92.1 in
		Height	1930mm	89.7 in
	Cubic Capacity		cum	1,173 cu ft
	Tare weight		Kg	4,850 lbs
	Max. Payload		800 Kg	62,346 lbs
Max. Gross Weight		Kg	67,196 lbs	

Lorry	Specification			
 <p>54T-3452</p>	External	Width	1710mm	8 ft
		Height	2120mm	8 ft 6.0 in
		length	3220mm	20 ft
	Interior	Width	1630mm	7 ft 8.6 in
		Height	2010mm	7 ft 10.3 in
		length	3060mm	19 ft 4.2 in
	Door	Width	1630mm	92.1 in
		Height	2010mm	89.7 in
	Cubic Capacity		cum	1,173 cu ft
	Tare weight		Kg	4,850 lbs
	Max. Payload		800Kg/1.000 Kg	62,346 lbs
	Max. Gross Weight		Kg	67,196 lbs

Lorry	Specification			
 <p>54T-3361</p>	External	Width	1710mm	8 ft
		Height	1830mm	8 ft 6.0 in
		length	2980mm	20 ft
	Interior	Width	1630mm	7 ft 8.6 in
		Height	1760mm	7 ft 10.3 in
		length	2920mm	19 ft 4.2 in
	Door	Width	1630mm	92.1 in
		Height	1760mm	89.7 in
	Cubic Capacity		cum	1,173 cu ft
	Tare weight		Kg	4,850 lbs
	Max. Payload		800Kg/1.000 Kg	62,346 lbs
	Max. Gross Weight		Kg	67,196 lbs

Lorry		Specification				
 <p>54T-7366</p>	External	Width	1680mm	8 ft		
		Height	1860mm	8 ft 6.0 in		
		length	2860mm	20 ft		
	Interior	Width	1590mm	7 ft 8.6 in		
		Height	1740mm	7 ft 10.3 in		
		length	2810mm	19 ft 4.2 in		
	Door	Width	1590mm	92.1 in		
		Height	1740mm	89.7 in		
	Cubic Capacity			cum	1,173 cu ft	
	Tare weight			Kg	4,850 lbs	
	Max. Payload		800Kg/1.000 Kg		62,346 lbs	
	Max. Gross Weight			Kg	67,196 lbs	

Lorry		Specification				
 <p>54S-1732</p>	External	Width	2000mm	8 ft		
		Height	2050mm	8 ft 6.0 in		
		length	4410mm	20 ft		
	Interior	Width	1910mm	7 ft 8.6 in		
		Height	1930mm	7 ft 10.3 in		
		length	4240mm	19 ft 4.2 in		
	Door	Width	1910mm	92.1 in		
		Height	1930mm	89.7 in		
	Cubic Capacity			cum	1,173 cu ft	
	Tare weight			Kg	4,850 lbs	
	Max. Payload		1.900Kg/2.500 Kg		62,346 lbs	
	Max. Gross Weight			Kg	67,196 lbs	

Lorry	Specification		
 <p data-bbox="337 562 448 590">54S-8935</p>	External	Width	1680mm 8 ft
		Height	1830mm 8 ft 6.0 in
		lenth	3970mm 20 ft
	Interior	Width	1630mm 7 ft 8.6 in
		Height	1690mm 7 ft 10.3 in
		lenth	2880mm(top) 2800mm(under) 19 ft 4.2 in
	Door	Width	1910mm 92.1 in
		Height	1930mm 89.7 in
	Cubic Capacity	Cum	1,173 cu ft
	Tare weight	Kg	4,850 lbs
	Max. Payload	800 Kg/1.000Kg	62,346 lbs
	Max. Gross Weight	Kg	67,196 lbs